

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

<b>Applicant:</b>	Ginlong Technologies Co., Ltd.	<b>Manufacturer:</b>	Ginlong Technologies Co., Ltd.
<b>Address:</b>	No. 57, Jintong Road, Seafront (Binhai )Industrial Park, Xiangshan Economic Development Zone, Xiangshan, NINGBO Zhejiang 315712	<b>Address:</b>	No. 57, Jintong Road, Seafront (Binhai )Industrial Park, Xiangshan Economic Development Zone, Xiangshan, NINGBO Zhejiang 315712
<b>Country:</b>	China	<b>Country:</b>	China
<b>Party Authorized To Apply Mark:</b>	Same as Manufacturer		
<b>Report Issuing Office:</b>	Intertek Testing Services Shanghai Limited		
<b>Control Number:</b>	<u>3186984</u>	<b>Authorized by:</b>	 _____ for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.  
545 East Algonquin Road, Arlington Heights, IL 60005  
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

	<p>Supplement SA to UL 1741 - Inverters, Converters, Controllers and Interconnection System Equipment for use with Distributed Energy Resources [UL 1741:2010 Ed.2 (Supplement SA)+R:15Feb2018]</p> <p>Inverters, Converters, Controllers and Interconnection System Equipment for use with Distributed Energy Resources - Including Supplement SB [UL 1741:2021 Ed.3 (Including Supplement SB)]</p> <p>IEEE Standard for Interconnection and Interoperability of Distributed Energy Resources with Associated Electric Power Systems Interfaces [IEEE 1547:2018]</p> <p>IEEE Standard Conformance Test Procedures for Equipment Interconnecting Distributed Energy Resources with Electric Power Systems and Associated Interfaces [IEEE 1547.1:2020]</p>
<b>Standard(s):</b>	<p>Interconnecting Distributed Resources With Electric Power Systems (R2008) [IEEE 1547:2003 ]</p> <p>Standard Conformance Test Procedures For Equipment Interconnecting Distributed Resources With Electric Power Systems [IEEE 1547.1:2005 ]</p> <p>Amendment 1 to IEEE 1547 - Interconnecting Distributed Resources with Electric Power Systems [IEEE 1547A:2014 ]</p> <p>Photovoltaic (PV) DC Arc-Fault Circuit Protection&gt;Expires on: 18May2023&lt; [UL 1699B:2018 Ed.1]</p> <p>Power Conversion Equipment [CSA C22.2#107.1:2016 Ed.4]</p> <p>Hawaiian Electric IEEE 1547.1-2020 Standard Source Requirements Document Version 2.0 [HECO SRD-IEEE-1547.1:2020 Ed.2.0]</p>
<b>Product:</b>	Grid Support Utility Interactive Inverter
<b>Brand Name:</b>	Ginlong, Solis
<b>Models:</b>	Solis-1P followed by 2.5K, 3K, 3.6K, 3.8K, 4K, 4.6K, 5K or 6K2; followed by -4G-US.